

TECHNICAL SHEET

Banana (Cavendish Premium)



Weight	43 Lbs only fruit
Cutina age:	12 weeks
Box Calibration:	39 minimum, 46 maximum
Minimum finger length:	8 inches minimum
Box type:	22xu
Leaves to harvest:	Minimum six
Average cluster per box:	18
Clusters fingers:	4 minimum - 8 maximum
Sanitation:	2 per box maximum
Cribs:	2 wedges of 4 fingers without cleaning clean
Shipment type:	High density plastic vacuum (38*54*0.8 A/D) Low four-row packing following the pattern of small, large curved, long flat, medium and in fruit of ten inches and up make jumbo packing or three rows
Label:	Imperial, place 2 stamps per cluster from left to right alternately and vertically well centered



+593 99 974 3201
+593 93 947 1449



www.diezgradosfruit.com



Cdla. Kennedy Norte, Calle 2da.,
Mz. 4, S 22 y Victor Hugo Sicouret

Fumigation:	Use of 8001 nozzle in CP3 - JACTO pump for a time of 10-12 seconds
Ryzup Application:	Apply directly to the crown with a brush, before applying the post-harvest mixtures (1 bottle in 20 liters of water for 1,200 boxes)

200 Liters	Mertec C.C.	Fungaflor (Gr.)	Alum (Kg.)	Ryzup (gr)	Nlarge	Volume (water)
1200	600 cc	192 gr	4,5	62,5 grms	500 cc	200 Liters
	12 jars	6 envelopes	10 pounds	1 jar	5 jars /100cc	

OBLIGATIONS

- The process should not start without the presence of the evaluator
- The post-harvest mix must be prepared by the evaluator, not by farm staff
- Do not receive bunches cut the day before the cut Repackaged fruit is not accepted
- Prepare the alum the day before cutting Fruit with mealybug, scales, or field scar is not accepted
- Poorly glued or deteriorated cardboard is not accepted Treasury code must be well marked and visible on the cover
- All boxes must be vacuumed and have a good vacuum
- Give 3 (three) laps to the league
- Check that the container vents are open
- Control the CBM of the container (40 CBM)
- Do not leave boxes on the floor (double stowage)



+593 99 974 3201
+593 93 947 1449



www.diezgradosfruit.com



Cdla. Kennedy Norte, Calle 2da.,
Mz. 4, S 22 y Victor Hugo Sicouret



- Place 4 reinforcements on the entire box template
- Place Filter at the beginning of the container and thermograph at the closure
- Stretch the last 4-5 wheels of the truck or container

NON-TOLERABLE DEFECTS

- FLOWERS ADHERED FL
- PEDUNCLE NI DAMAGE CT
- KNIFE CUT EXCESS SCAR LF
- CT DISTEMPOR
- SPIKE DAMAGE HP
- YB YELLOW TIP
- CHEMICAL WASTE RE
- TWIN FINGERS FF
- INFORMED FINGERS ML
- BM INSECT DAMAGE
- LATEX SPOTS LS
- CE CIGAR TIP FS
- CARDBOARD BURNING RED SPOT RR
- SOFT ALMOND/CREAM AS/AB
- PULP DAMAGE BR
- WI SPECKLING SK (10% TOLERANCE)
- Mature or Pinton RT SP
- EXPLOSIVE PH
- THRIPS SPOT/MATURITY MS



+593 99 974 3201
+593 93 947 1449



Cdla. Kennedy Norte, Calle 2da.,
Mz. 4, S 22 y Victor Hugo Sicouret



www.diezgradosfruit.com